Errata 1

Manual: 18068, 19705

Manual Index: 0200

Table of Contents:

1. Reference: Page 1-11, Chapter 1.5, Table 1-3 ..... 1 - 3
2. Reference: Page 1-14, Chapter 1.5, Table 1-3 ..... 1 - 4

© PEP Modular Computers GmbH

This page was intentionally left blank.

1. Reference: Page 1-11, Chapter 1.5, Table 1-3

The referenced information (table) is revised as follows.

The table row:

CP370		Specification
General Information		
	Power Consumption	5V DC ±5% at 2.1 A min. (max. 2.7 A with full DIO load)

is changed to read:

CP370		Specification
General Information		
	Power Consumption	5V DC ±5% at 2.1 A min. (max. 2.7 A with full DIO load plus 200 mA max. when using VCC OUT on pins 1, 40, and 49 of 78-Pin connector)

© PEP Modular Computers GmbH

2. Reference: Page 1-14, Chapter 1.5, Table 1-3

The referenced information (table) is revised as follows.

The following table row is added at the end of Table 1-3:

CP370		Specification
VCC OUT	External Device Power Supply	+5 Vdc; supplied via pins 1, 40, and 49 of the 78-pin front panel connector for external use; max. power consumption: 200 mA spread over all three pins (e.g. Pin 1 = 200 mA, Pins 40/41 = 0 mA)

© PEP Modular Computers GmbH