Errata 1

Manual: 31073

Manual Index: 01

Table of Contents:

1. Reference: Page 7 - 4, Chapter 7.1.1.2, Text ..... 1 - 3
6. Reference: Chapter C – AMIBIOS8 ..... 1 - 3
7. Reference: Chapter C – AMIBIOS8 ..... 1 - 4

This page has been intentionally left blank.

1. Reference: Page 7 - 4, Chapter 7.1.1.2, Text

The referenced information (text) is revised as follows.

The text:

The thermal control circuit does not automatically go inactive once the temperature goes below the selected thermal trip point. Explicit software action is necessary to switch back to normal mode.

is changed to read:


The thermal control circuit goes inactive once the temperature goes approx. 5 °C below the selected thermal trip point.

2. Reference: Chapter C – AMIBIOS8

The following changes refer to the attached document “CP6000-V Setup for AMIBIOS8”.

Reference: Page 54, Chapter 8 – OEM Feature, Figure: Temperature Monitor

The referenced information (figure) is superseded by the following figure.



3. Reference: Chapter C – AMIBIOS8

The following modification refers to the attached document “CP6000-V Setup for AMIBIOS8”.

Reference: Page 54, Chapter 8 – OEM Feature, Text

The referenced information (text) is revised as follows.

The text:

P4 Term Trip 125°C/257F

Shows the P4 max. temperature.

is changed to read:

Processor Term Trip 125°C/257F

Shows the maximum processor temperature.